

Sonoma County: Building TouchPoints



Welcome!

KRYSTAL MONTGOMERY TRAINING ASSOCIATE <u>kmontgomery@socialsolutions.com</u>

Agenda

Ţ

TOUCHPOINTS

CREATE TOUCHPOINTS

EDIT TOUCHPOINTS

MULTIPLE PARTICIPANT TOUCHPOINTS

Learning Objective

Prepare ETO Administrators to successfully manage and maintain TouchPoints. Administrators should leave the training with the basic understanding of creating and editing TouchPoints.







A form that captures data regarding services, demographics, and change.



TouchPoint Subjects

- Single & Multiple Participants
- Single & Multiple Entities
- Single & Multiple Families
- Collections
- General (Program Specific)
- Anonymous





What is a TouchPoint

Questionnaires that typically fit into one of the following categories:

- More detailed set of questions that are a continuation of demographics
- A form that includes weighted questions (on knowledge, attitude, behavior etc.) that can be tied to outcomes.
- Capture time spent providing service, either individually (case management) or to a group of participants (attendance). In ETO language, efforts are recorded into TouchPoints.

=

3 steps to creating new TouchPoints.

- 1. Create the TouchPoint
- 2. Create the data elements
- 3. Set the security



Step 1: Create the TouchPoint

Site Administration > Manage Touchpoints > New TouchPoint Button

Manage TouchPoints	
New TouchPoint Reporting Status	
Name	Subject Type
T	T

Step 1: Create the TouchPoint

Cancel Update Period Update Period <th></th> <th></th>		
buckPoint Name* Update prior to image and the user expectified date taken field (this is the date the user enters at the top of the record TouchPoint server in Limit the update prior to image aprior to image	ouchPoint Wizard	
buckPoint Name* Update prior to image and the user expectified date taken field (this is the date the user enters at the top of the record TouchPoint server in Limit the update prior to image aprior to image		
update period b days after the user specified date taken field (this is the date the user enters at the top of the record TouchPoint screen age update period b days after the update period to	Cancel	Save
update period b days after the user specified date taken field (this is the date the user enters at the top of the record TouchPoint screen age update period b days after the update period to		
Image:	TouchPoint Name*	Under Desired
By an output of a model of a mode		
age In lowest to leaded to werride the update period restrictions is interprise Manager Beginstee each lag with a space outcome service effort Or, to join two words together in one lag, use double quotes: 'priore' Advanced Date Formatting		
When the response is locked display System locked Separate each fag with a space: outcome service effort. Or, to join two words together in one tag, use double quotes: "paricher" Avanced Date Formatting Separate each fag with a space: outcome service effort. Or, to join two words together in one tag, use double quotes: "paricher" Avanced Date Formatting Instruction Instruction Avanced Date Formatting Instruction Instruction Avanced Date Formatting Instruction Instruction Instruction Ins	Tags	
Advanced Date Formatting Separate each fag with a space: outcome service effort. Or, to join two words together in ane fag, use double quotes: "participation outcomes." Image: Control outcome service effort. Or, to join two words together in ane fag, use double quotes: "participation outcomes." Image: Control outcome service effort. Or, to join two words together in ane fag, use double quotes: "participation outcomes." Image: Control outcome service effort. Or, to join two words together in ane fag, use double quotes: "participation outcomes." Image: Control outcome service effort. Or, to join two words together in ane fag, use double quotes: "participation outcomes." Image: Control outcome service effort. Or, to join two words together in ane fag, use double quotes: "participation outcomes." Image: Control outcome service effort. Or, to join two words together in ane fag, use double quotes: "participation outcomes." Image: Control outcome service effort. Or, to join two words together in ane fag, use double quotes: "participation outcomes." Image: Control outcome service effort. Or, to join two words together in ane fag, use double quotes: "participation outcomes." Image: Control outcome service effort. Or, to join two words together in ane fag, use double quotes: "participation outcome service outcome service effort." Image: Control outcome service effort. Or, to join two words together in ane fag, use double quotes: "participation outcome service outcome service effort." Image: Control outcome service prove duata Image: Control outcome service prove duata </td <td></td> <td></td>		
extrict date taken to days in the future from the actual (audit) date when recording days in the patt from the actual (audit) date w	^	
Separate each tag with a space: outcome service effort. Or, to join two words together in one tag, use double quotes: "period part allow the date to be outside of a program enrollment when recording Dect Taken Blank by Default © Outcome: Dect Taken Blank by Default © Outcome: Separate each tag with a space: outcome service effort. Or, to join two words together in one tag, use double quotes: "period part allow the date to be outside of a program enrollment when recording Dect Taken Blank by Default © Outcome: <		
Special addres lay with a space. Juicome service at the your on the lay, use double quotes: particupant Don't allow the date to be uiside of a program enrollment when recording Image: contrast of the same lay with a space. Juicome service at the lay with a space at the lay with a space. Juicome service at the lay with a spac		
outcome". Don't allow the date to be outside of a program enrollment when recording Det raken blank by Default • Det raken blank by Default • We current program name as Identifier Make the date taken field blank by default • Automatically generate Identifier Make the date taken field blank by default • Set the same Identifier Make the date taken field blank by default • Automatically generate Identifier Becord TouchPoint for/as Another Staff Account Automatical Identifier Save as Draft Record TouchPoint for/as Another Staff Account Callow a user to raceive credit (both users will receive credit) Allow user to create Identifier Save as Draft Record TouchPoint for/as Another Staff Account Save as Draft Allow a user to save as Draft when recording the TouchPoint Save as Draft Beable section quick links on each page Save and Record Similar Use question numbering for each element Save and Record the same TouchPoint Allow user to save and record the same TouchPoint Save and Iteopreties Disable Aggregation and Sequencing of response data for all elements. Allow Fund and Asset Disburse Asset* Disable Aggregation and Sequencing of response data for all elements. Allow Fund and Asset Disburse Asset* Orovide user with both	Separate each tag with a space: outcome service effort. Or, to join two words together in one tag, use double guotes: "participar	$_{nt}$ $oxdot$ Restrict date taken to 1 ays in the past from the actual (audit) date when recording
Important program name as Identifier Make the date taken field blank by default Use current program name as Identifier Record TouchPoint for/as Another Staff Account Ise the same Identifier when pre-populating with previously recorded data Allow a user completing this TouchPoint to select another user to receive credit (both users will receive credit) Allow a user to recate Identifier Save as Draft Ise quire Identifier Save Progress Inable section quick links on each page Save Progress Ise question numbering for each element Save and Record Similar Ise question numbering or each element Allow a user to save and record the same TouchPoint Beporting of provide user with both the option to "save and Disburse Asset" Provide user with both the option to "save and Disburse Asset"		\Box Don't allow the date to be outside of a program enrollment when recording
Important program name as Identifier Make the date taken field blank by default Use current program name as Identifier Record TouchPoint for/as Another Staff Account Ise the same Identifier when pre-populating with previously recorded data Allow a user completing this TouchPoint to select another user to receive credit (both users will receive credit) Allow a user to recate Identifier Save as Draft Ise quire Identifier Save Progress Inable section quick links on each page Save Progress Ise question numbering for each element Save and Record Similar Ise question numbering or each element Allow a user to save and record the same TouchPoint Beporting of provide user with both the option to "save and Disburse Asset" Provide user with both the option to "save and Disburse Asset"		
Use current program name as latentifier Record TouchPoint for/as Another Staff Account Automatically generate Identifier Allow a user completing this TouchPoint to select another user to receive credit (both users will receive credit) Allow user to create Identifier Save as Draft None Allow a user to save as Draft when recording the TouchPoint exton quick Links Save arb regress Inable section quick links on each page Allow a user to save their progress and continue recording the TouchPoint user to save and Record Similar Allow a user to save and record the same TouchPoint Use question numbering for each element Allow Find and Asset Disbursement @ Nove Fund and Asset Disbursement @ Provide user with both the option to "Save" and Disburse Asset"	Identifier	
Use the same Identifier when pre-populating with previously recorded data Allow a user completing this TouchPoint to select another user to receive credit (both users will receive credit) Allow a user to create Identifier Save as Draft None Allow a user to save as Draft when recording the TouchPoint ection Quick Links Save as Draft Inable section quick links on each page Allow a user to save their progress and continue recording the TouchPoint uestion Numbering Allow a user to save and Record Similar Insert on unmbering for each element Allow a user to save and record the same TouchPoint Reporting ? Disable Aggregation and Sequencing of response data for all elements. Allow auser to save with both the option to "Save" and "Save and Disburse Asset" Provide user with only the option to "Save and Disburse Asset"		
Allow user to create Identifier Allow a user to save as Draft Require Identifier Save as Draft None Allow a user to save as Draft when recording the TouchPoint ction Quick Links Save Progress Enable section quick links on each page Allow a user to save their progress and continue recording the TouchPoint uestion Numbering Save and Record Similar Use question numbering for each element Allow a user to save and record the same TouchPoint Reporting ? Disable Aggregation and Sequencing of response data for all elements. Allow Fund and Asset Disbursement ? Orovide user with both the option to "Save" and Disburse Asset"		Record TouchPoint for/as Another Staff Account
Require Identifier Save as Draft None Allow a user to save as Draft when recording the TouchPoint ction Quick Links Save Progress Tables eaction quick links on each page Allow a user to save their progress and continue recording the TouchPoint uestion Numbering Save and Record Similar I save and Record Similar Allow a user to save and record the same TouchPoint Reporting @ Isable Aggregation and Sequencing of response data for all elements. Provide user with both the option to "Save" and "Save and Disburse Asset"		\Box Allow a user completing this TouchPoint to select another user to receive credit (both users will receive credit)
Image: Solution of the solution of t		
extion Quick Links Cable section quick links on each page Save Progress Cable section quick links on each page Allow a user to save their progress and continue recording the TouchPoint uestion Numbering Use question numbering for each element Reporting ? Disable Aggregation and Sequencing of response data for all elements. Allow Fund and Asset Disbursement ? Provide user with both the option to "Save" and "Save and Disburse Asset"		
In a base section quick links on each page Allow a user to save their progress and continue recording the TouchPoint uestion Numbering Save and Record Similar Use question numbering for each element Allow a user to save and record the same TouchPoint Reporting ? Disable Aggregation and Sequencing of response data for all elements. Allow Fund and Asset Disbursement ? Provide user with both the option to "Save" and Disburse Asset"	S None	Allow a user to save as brait when recording the rouchPoint
uestion Numbering Use question numbering for each element Save and Record Similar Allow a user to save and record the same TouchPoint Reporting ? Disable Aggregation and Sequencing of response data for all elements. Allow Fund and Asset Disbursement ? Provide user with both the option to "Save and Disburse Asset"	Section Quick Links	Save Progress
Use question numbering for each element Allow a user to save and record the same TouchPoint Reporting ? Disable Aggregation and Sequencing of response data for all elements. Allow Fund and Asset Disbursement ? Provide user with both the option to "Save" and "Save and Disburse Asset" Provide user with only the option to "Save and Disburse Asset" Provide user with only the option to "Save and Disburse Asset"	Enable section quick links on each page	Allow a user to save their progress and continue recording the TouchPoint
Use question numbering for each element Allow a user to save and record the same TouchPoint Reporting ? Disable Aggregation and Sequencing of response data for all elements. Allow Fund and Asset Disbursement ? Provide user with both the option to "Save" and "Save and Disburse Asset" Provide user with only the option to "Save and Disburse Asset" Provide user with only the option to "Save and Disburse Asset"		
Reporting ? Disable Aggregation and Sequencing of response data for all elements. Allow Fund and Asset Disbursement ? Provide user with both the option to "Save" and "Save and Disburse Asset" Provide user with only the option to "Save and Disburse Asset"		
 Disable Aggregation and Sequencing of response data for all elements. Allow Fund and Asset Disbursement ? Provide user with both the option to "Save" and "Save and Disburse Asset" Provide user with only the option to "Save and Disburse Asset" 		
 Disable Aggregation and Sequencing of response data for all elements. Allow Fund and Asset Disbursement ? Provide user with both the option to "Save" and "Save and Disburse Asset" Provide user with only the option to "Save and Disburse Asset" 		Reporting 🚱
 Provide user with both the option to "Save" and "Save and Disburse Asset" Provide user with only the option to "Save and Disburse Asset" 		
O Provide user with only the option to "Save and Disburse Asset"		Allow Fund and Asset Disbursement 3
		\bigcirc Provide user with both the option to "Save" and "Save and Disburse Asset"
○ No Fund Disbursement		
		O No Fund Disbursement



Step 2: Add Data Elements from the Edit TouchPoint screen

Arrests								
	Edit TouchPoint Settings	Question Settings	Security 🗸	Reporting Status	Replicate	Disable	Preview	Return to Manage TouchPoints
	ime: Arrests							
	ags: arrests indicators							
	itus: Enabled							
Subject T	ype: Participant, Participant(M	I)						
								□ Show Disabled Questions (0 Disabled Questions)
				+ Add Page				
First Page Ed	lit Copy Delete							
				+ Add Question				

F

Step 2: Add Data Elements



Step 2: Directional Tracking of data

Track directional movement? 💡		
● No		
○Yes - Tracking an increase		
○Yes - Tracking a decrease		
¬		
Use pseudonym		
Capture one response for multiple subj	cts 🚱	
Require an answer to this question		
Display tooltip		
Should data recorded against this elem	nt be sequenced and aggregated o	ver time? 📀
Question Placement Options		
Show question:	√	
Question and answer on separate lines:	✓	
Place the following element on the next line	✓	
Indentation:	0 🗸	
Show conditional rule highlighting:		

Step 2: Question Settings

- Reorder Fields
- Calculations
- Conditional Rules

Arrests						
	Edit TouchPoint Settings	Qu	estion Settings 💂 Security 💂			
Na	me: Arrests		Calculations			
Tags: arrests indicators		Conditional Rules				
	Status: Enabled Subject Type: Participant, Participant(M		<u>R</u> eorder Fields			
,			Multi-subject Level Responses			
			Pre-populate answers			
			Remember Last <u>V</u> alue			
		Vie <u>w</u> Only				
			View Screen Settings			

Step 3: Setting TouchPoint Security

2 Parts to TouchPoint Security:

- Assign a subject type to the TouchPoint
- Grant access to the TouchPoint



Step 3: Setting Security Edit TouchPoint > Security

Security Reporting Status Replicate Disable Preview Return to Manage TouchPoints
Add/View/Edit/Delete Own Responses
View/Edit/Delete Others' Responses
Share Responses <u>W</u> ithin Site
Share Responses Across Enterprise
Manage TouchPoint (0 Disabled Question (0 Disabled
]



If you forget to set up touchpoint security or make a mistake in setting it up – users will be prevented from accessing the touchpoint!

LIMITATION



Step 3: Assign a subject type to the TouchPoint

Security for Arres	ts						
Add/View/Edit/Delete Own Responses View/Edit/Delete Others' Responses Share Responses Wit							
Add Responses	View Own Response	es	Edit Own Responses	Delete	Own Responses		
Participant Participant Participant (multiple)			Note: Changes w	vill not be	e saved until yo	Retur	
Entity Entity (multiple) Anonymous Family	ich program th and programs . Edit, Delete s		should be allowed to add tabs 🚱	l respon	ses.		

Step 3: Grant Access to the TouchPoint

Security for Arres	sts									
Add/View/Edit/Del	ete Own Response	s View/Edit/Del	ete Others' Respo	onses Share Respo	onses Within Site	Share Respon	ses Across Enterprise	Manage		
Add Responses	View Own Resp	oonses Edit Owr	n Responses	Delete Own Response	s					
Participant	•				Return to Ma	naging Arrests	Save			
		Note	: Changes wil	l not be saved unti	l you click "Save	e". Clicking th	e checkbox will not sav	ve the chang	es to security.	
Select the user role	s in each progra	am that should be a	llowed to add i	responses.						
Include disabled	sites and progr	ams								
Apply settings to	o View, Edit, Del	ete sub tabs 🚱								
Site										
	ograms									
Site: COTS										
		Enterprise Manager	Site Manager	Department Head	Program Manager	Staff	Funders/Reports Only	Intake	Survey Taker	Entity Self Service
Pr	ogram									
ES - Recupera	ative Care									
ES MIC - Koff	fler Korner									
MHIP (Service	es)									
Prevention &	Diversion									
Sono - COTS, Shelter	, ES Family									
Sono - COTS	ES MIC - Singles									

If the TouchPoint will be used for more than one subject type. You must select each subject and assign permissions one at a time.

LIMITATION



Check In

Write True or False in the chat in response to each statement.

- Touchpoints are automatically set up and available in ETO.
- You can format the text of a TouchPoint question to include COLORS!
- How you design a TouchPoint should depend on Best Practice & how you want to report on the data.
- Administrators have to choose who has permission to TouchPoints.



Manage TouchPoints

Site Administration > Manage TouchPoints

• Admins can disable, delete, or edit the TouchPoint from the Manage TouchPoint page.

Manage TouchPoints							
New TouchPoint Reporting Status							
Name	Subject Type	Tags	Take Action				
T	T	T					
	Participant, Participant(M)		🤌 Edit				
		arrests indicators	Calculations				
Arrests			? Conditions				
Arrests	ratupant, ratupant(n)		🔒 Security				
			Ø Disable				
			🛍 Delete				

Question Bank Questions

Site Administration > Question Bank

• Use in multiple TouchPoints. When the question is updated in the Question Bank, it will update in all the forms.

Question Bank					
New Question				Show Dis	abled 🗌
Question	Question Type	Tags	Pseudonym	Enterprise Level	Take Action
T	T	T	T		
A learning disability, development disability, or other impairment?	List		Kicked out for a learning or developmental disability?	*	 Edit Copy Details Disable Delete

Do not change the HMIS Template Touchpoints, they are preset to fulfill all requirements.

LIMITATION



Check In

Write True or False in the chat in response to each statement.

- You can build TouchPoints using the TouchPoint Wizard under the Wizards feature on the navigation bar.
- Security in ETO is not passive, you have to actively choose who has permission to view/edit/record/etc. a TouchPoint.
- When building a TouchPoint meant to be taken for more than one participant at a time, select Participant as the subject type.
- Write an example of a tag you might use for several of your organization's TouchPoints.

You have to select the Subject of each TouchPoint.



We Value Your Feedback!

To help us improve our training, please complete the survey!

Welcome to Office Hours!

• Please use this time to

ASK QUESTIONS ABOUT FUNCTIONALITY

ASK TRAINER TO REDO A DEMO

ASK REAL-LIFE APPLICATION QUESTIONS

Thank you for joining us!

CONTACT US ANYTIME AT <u>SUPPORT@SOCIALSOLUTIONS.COM</u> OR LOGIN TO THE HELP CENTER!

