

Form Water Lab 14.1: Multiple Water Samples Submission Form

Sonoma County Public Health Laboratory, 3313 Chanate Road, Santa Rosa, CA 95404. Phone: (707) 565-4711 Fax: (707) 565-7839

Submitting organization:	Delivered by (print name & initial):	Refrigerant used to transport samples: ☐ ice pack ☐ wet ice ☐ none	Date & time of receipt at lab:	EQID-228 Infrared thermometer FI40L
Contact phone:	Name of Sample Collector:		Received by initials:	Correction factor: °C
Contact email:				☐ Copy to CA Drinking Water Operations ☐ Copy to Sonoma Co. Env. Health Dept.

Form Water Lab 14.1: Multiple water samples submission form - Version 3.0 | Index Form Water Lab 14.1 | Effective Date: 11-Nov-2025

Lab Number (Lab Use Only)	Lab Number (Lab Use Only)	Location (where sample collected)	Date/ Time Collected	Test Requested		Dilution	Sample Temp at Lab °C (corrected by receiver)
				☐ Colilert-18 P/A ☐ Colilert-18 QT	☐ MTF 10 ☐ MTF 15 ☐ Enterolert	☐ Undiluted ☐ 1:10 ☐ 1:100 ☐ 1:1000	
				☐ Colilert-18 P/A ☐ Colilert-18 QT	☐ MTF 10 ☐ MTF 15 ☐ Enterolert	☐ Undiluted ☐ 1:10 ☐ 1:100 ☐ 1:1000	
				☐ Colilert-18 P/A ☐ Colilert-18 QT	☐ MTF 10 ☐ MTF 15 ☐ Enterolert	☐ Undiluted ☐ 1:10 ☐ 1:100 ☐ 1:1000	
				☐ Colilert-18 P/A ☐ Colilert-18 QT	☐ MTF 10 ☐ MTF 15 ☐ Enterolert	☐ Undiluted ☐ 1:10 ☐ 1:100 ☐ 1:1000	

Form Water Lab 14.1: Multiple Water Samples Submission Form

Page of

Lab Number (Lab Use Only)	Lab Number (Lab Use Only)	Location (where sample collected)	Date/ Time Collected	Test Requested		Dilution	Sample Temp at lab °C (corrected by receiver)
				☐ Colilert-18 P/A ☐ Colilert-18 QT	☐ MTF 10 ☐ MTF 15 ☐ Enterolert	☐ Undiluted ☐ 1:10 ☐ 1:100 ☐ 1:1000	
				☐ Colilert-18 P/A ☐ Colilert-18 QT	☐ MTF 10 ☐ MTF 15 ☐ Enterolert	☐ Undiluted ☐ 1:10 ☐ 1:100 ☐ 1:1000	
				☐ Colilert-18 P/A ☐ Colilert-18 QT	☐ MTF 10 ☐ MTF 15 ☐ Enterolert	☐ Undiluted ☐ 1:10 ☐ 1:100 ☐ 1:1000	
				☐ Colilert-18 P/A ☐ Colilert-18 QT	☐ MTF 10 ☐ MTF 15 ☐ Enterolert	☐ Undiluted ☐ 1:10 ☐ 1:100 ☐ 1:1000	
				☐ Colilert-18 P/A ☐ Colilert-18 QT	☐ MTF 10 ☐ MTF 15 ☐ Enterolert	☐ Undiluted ☐ 1:10 ☐ 1:100 ☐ 1:1000	
				☐ Colilert-18 P/A ☐ Colilert-18 QT	☐ MTF 10 ☐ MTF 15 ☐ Enterolert	☐ Undiluted ☐ 1:10 ☐ 1:100 ☐ 1:1000	

Double-sided

Form Water Lab 14.1: Multiple water samples submission form - Version 3.0 | Effective Date: 11-Nov-2025

CONTROLLED DOCUMENT | Index Form Water Lab 14.1 | Unique Ref: 1411-102257762 | Printed on 23-Oct-2025 15:15